



BABY BASSINET ASSEMBLY INSTRUCTIONS

Adult Assembly Required.
Save these instructions for future use.

PRODUCT NAME:

**Elegance™ Round OR Elite™ Oval
Baby Bassinet with Bedding**

PRODUCT MODEL NUMBERS:

ELEGANCE™ MODEL #'s:

00825 - Black Frame with Sage Waffle

00827 - White Frame with White Eyelet

00830 - White Frame with Ecru Waffle

00832 - White Frame with Sage Toile

00835 - White Frame with White/Sage Gingham

00838 - Black Frame with Black Toile

00826 - Black Frame with Ecru Waffle

00829 - Cherry Frame with White Eyelet

00831 - White Frame with Sage Waffle

00836 - White Frame with Pink/White

00837 - White Frame with Blue/White

ELITE™ MODEL #'s:

00855 - Natural Frame with Ecru Waffle

00856 - Cherry Frame with White Eyelet

Visit us online at www.badgerbasket.com

Toll-Free Customer Service: 1-800-236-1310 (Monday to Thursday 7:30 AM-4:30 PM CST)

Web: <http://www.badgerbasket.com/parts> • **E-mail:** parts1@badgerbasket.com

PLANT AND GENERAL OFFICE: PO Box 227, Edgar, WI 54426-0227 • Phone: 715-352-2311 • Fax: 715-352-3163

CORPORATE OFFICE: 111 Lions Dr., Suite 220, Barrington, IL 60010

PARTS AND HARDWARE:



BEFORE YOU BEGIN ASSEMBLY:

Check all parts and hardware listed. If anything is missing, please **DO NOT** call the store or return the product to them. Contact us for assistance. Most problems are resolved without you needing to leave home. When emailing or calling us, please have this instruction manual and your product model number ready.

For faster service, go to <http://www.badgerbasket.com/parts>

TOOLS NEEDED:



Phillips Screwdriver*

Hammer


* Power screwdriver is helpful but be careful not to damage the bassinet

PARTS AND HARDWARE:

- (A) 2 - End Panels
- (B) 2 - Rails
- (C) 4 - Long Bolts
- (D) 1 - Shelf
- (E) 4 each -
Wheels, Knobs, Bolts
- (F) 4 - L-Brackets
- (G1) 8 - Medium Bolts
- (G2) 8 - Short Bolts
- (H) 1 - Bassinet Body
(not shown)
- (I) 1 - Fabric Skirt
- (J) 1 - Curved Canopy Pole*
(not as shown)
- (K) 1 - Canopy Frame
- (L) 1 - Fabric Canopy
- (M) 1 - Fabric Bumper
- (N) 1 - Fitted Fabric Sheet
- (O) 1 - Mattress (not shown)



* Part J is curved.
* It is not straight as shown.



Hardware not shown to scale

NOTE: Elegance™ Round models should be assembled in the room where you intend to use it unless your doorways are wider than 33” (83.8 cm).

These assembly instructions cover both Elegance™ ROUND bassinets and Elite™ OVAL bassinets. The shape of the units is different but the parts and assembly steps are identical.

STEP 1: See **PICTURES 1A and 1B**

First, securely attach ONE CASTER WHEEL (E) to each leg of the END PANELS (A) using ONE BOLT (E) and ONE KNOB (E) for each WHEEL (E). The knobs go on the inside. The square hole on the wheel goes on the outside so the head of the bolt will “lock” into the hole.

Next take ONE END PANEL (A) and attach the TWO RAILS (B) using TWO LONG BOLTS (C). The grooves face inwards. Slide the SHELF (D) into the grooves with the white warning label facing up. Then attach the second END PANEL (A) to the TWO RAILS (B) using TWO LONG BOLTS (C).



PICTURE 1A


STEP 2: See **PICTURE 2A (this page) and 2B (on page 3).**

Locate the FOUR L-BRACKETS (F), EIGHT MEDIUM BOLTS (G1), and EIGHT SHORT BOLTS (G2) so you can bolt the BASSINET BODY (H) to the BASSINET STAND.


This step is easier if you put the bassinet body upside down, and then put the bassinet stand upside down on top of the bassinet body as shown in **PICTURE 2B**.

Line up the four pairs of holes on the END PANELS (A) with the four pairs holes on the BASSINET BODY (H).

Position the L-BRACKETS (F) on the inside and secure them using the EIGHT MEDIUM BOLTS (G1) for the end panels, and the EIGHT SHORT BOLTS (G2) for the bassinet body.




PICTURE 1B



PICTURE 2A



WARNING!
Once the bassinet stand is assembled, do not disassemble and reassemble for future use. Doing so may affect the stability and safety.



PICTURE 2B



PICTURE 3

STEP 3: See **PICTURE 3**.

With the bassinet in its correct, upright position, wrap the **FABRIC SKIRT (I)** around the lower rim of the **BASSINET BODY (H)** pressing the grip tape strips together as you go around. Begin and end at the rear center where the metal spindle is located (the ends may overlap).


STEP 4: See **PICTURE 4**.

There are two holes in the metal spindle on the bassinet body to height adjust the canopy. Insert the **METAL CANOPY POLE (J)** into the metal spindle on the bassinet body (H) and line up a hole on the metal spindle with the push button on the canopy pole. Make sure the push button snaps into the hole.


STEP 5: See **PICTURE 5**.

Insert the two free ends of the **CANOPY FRAME (K)** into the top of the **CANOPY POLE (J)**. Tap gently with a hammer until the ends of the frame are fully seated inside the pole.


Next, place the **FABRIC CANOPY (L)** onto the **CANOPY FRAME (K)** and secure it to the frame with the ribbons and/or the grip tabs provided.



PICTURE 4



PICTURE 5



PICTURE 6

STEP 6: See **PICTURES 6 and 7.**

Position the **FABRIC BUMPER (M)** inside the **BASSINET BODY (H)**. Position and then secure the **tabs** on the bumper to the **thicker dowels** and tie the ribbons, and then tie the remaining ribbons to the thinner dowels.

NOTE: Be sure the bumper is secured and check the ribbons regularly to make sure they stay tied. Loose bedding can be a danger to your baby.

Put the **FABRIC FITTED SHEET (N)** onto the **MATTRESS (O)** and place them inside the bassinet. Additional sheets are sold separately! Contact us or check our web site for more information or to find a retailer.

Check ALL OF THE HARDWARE to make sure everything is fully tightened. Carefully review the safety information below. NOTE: Your bedding and canopy may vary in color, pattern, and/or style from what is shown here.

CARE INSTRUCTIONS: Wipe bassinet clean with a damp cloth and mild detergent as needed. Bedding can be machine washed on cold, gentle cycle, and air dried or tumble dry on low or no heat. Iron on lowest setting for poly/cotton. Secure all grip tabs together before washing so they do not catch on the bedding or ribbons.



WARNING - FAILURE TO FOLLOW THESE WARNINGS AND THE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH:

FALL HAZARD: To help prevent falls, please note this bassinet is a safe place for your newborn to sleep until Baby is **4 months old, 20 lbs. (9.09 kg), OR** when Baby can **push up, roll over, or crawl - whichever limit comes first.**

- **SUFFOCATION HAZARD** - Infants can suffocate:
 - » in gaps between an extra pad and the side of the bassinet,
 - » on soft bedding.

NEVER add a mattress, pillow, comforter, or padding. Use **ONLY** the pad and/or bedding provided by the manufacturer. If a sheet is used with the pad, use only the one provided with the bassinet or one that is from Badger Basket Company or one that is specifically designed to fit the dimension of the the mattress provided.

- **TO REDUCE THE RISK OF SIDS:** pediatricians recommend that healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- **DO NOT** move or carry the bassinet with your baby inside of it.
- **DO NOT** allow other children or pets to climb into or onto the bassinet when your infant is inside.
- **DO NOT** attach or place toys with strings in or around the basket. Strings can cause strangulation or choking.
- **Keep bassinet away** from stoves, heaters, camp fires/flames, fireplaces, stairs, open windows, window blinds, running or standing water, and any other hazard which could cause injury to your baby.
- **NEVER** use plastic bags inside the basket such as to cover the mattress.
- **Bassinet should always** be placed on a firm, flat surface. It should never be placed near stairs or on tables or elevated surfaces.



PICTURE 7